BBA

Lipids and Lipid Metabolism

Vol. 1127, 1992

Cumulative Contents

Review

Emerging role of lipids of *Candida albicans*, a pathogenic dimorphic yeast
P. Mishra, J. Bolard and R. Prasad (India, France) 1

Regular Papers

Proteins derived from platelet α granules modulate the uptake of oxidized low-density lipoprotein by macrophages
B. Fuhrman, G.J. Brook and M. Aviram (Israel) 15

Tetrahydropyran ring-containing fatty acid-combined taurine (tetrathermoyltaurine) in the taurolipid fraction of *Tetrahymena thermophila*
K. Kaya, T. Sano and F. Shiraishi (Japan) 22

Human peripheral lymph lipoproteins are enriched in sphingomyelin
D. Reichl and J.M. Sterchi (USA) 28

Differences in the interconversion between 20- and 22-carbon ($n-3$) and ($n-6$) polyunsaturated fatty acids in rat liver
A. Voss, M. Reinhart and H. Sprecher (USA) 33

Incorporation of new amphiphilic perfluoroalkylated bipyridine platinum and palladium complexes into liposomes: stability and structure–incorporation relationships
N. Garelli and P. Vierling (France) 41

Effects of sphingosine, albumin and unsaturated fatty acids on the activation and translocation of phosphatidate phosphohydrolases in rat hepatocytes
A. Gomez-Muñoz, E.H. Hamza and D.N. Brindley (Canada) 49

Regulation of HMG-CoA reductase, apoprotein-B and LDL receptor gene expression by the hypocholesterolemic drugs simvastatin and ciprofibrate in HepG2, human and rat hepatocytes
W. Qin, J. Infante, S.-R. Wang and R. Infante (France) 57

Plasma clearance of model lipoproteins containing saturated and polyunsaturated monoacylglycerols injected intravenously in the rat
B.-C. Mortimer, M.A. Kenrick, D.J. Holthouse, R.V. Stick and T.G. Redgrave (Australia) 67

Inhibition of cellular transport systems by alkyl phospholipid analogs in HL-60 human leukemia cells
D.R. Hoffman, V.L. Thomas and F. Snyder (USA) 74

Tissue lipid accumulation by L-aminocarnitine, an inhibitor of carnitine-palmitoyltransferase-2. Studies in intact rats and isolated mitochondria
P. Chiodi, F. Maccari and M.T. Ramacci (Italy) 81

Physical evidence for the presence of two forms of phosphatidate phosphohydrolase in rat liver
C.P. Day and S.J. Yeaman (UK) 87

Rapid Reports

Endothelial EA.hy 926 cells can be loaded with cationized LDL, but not with acetylated LDL
E.P.C. Kilsdonk, A.N.R.D. Dorsman and A. Van Tol (Netherlands) 95

Base-exchange and cell growth in 3T6 mouse fibroblasts
U.I. Richardson and R.J. Wurtman (USA) 99

Regular Papers

Phosphatidic acid and polyphosphoinositide metabolism in rod outer segments. Differential role of soluble and peripheral proteins
M.G. Ilincheta de Boschero and N.M. Giusto (Argentina) 105

Concentration and distribution of apolipoproteins A-I and E in normolipidemic, WHHL and diet-induced hyperlipidemic rabbit sera
H. Mezdour, S. Nomura, T. Yamamura and A. Yamamoto (Japan) 116

Isolation and characterization of two sub-species of Lp(a), one containing apo E and one free of apo E
J.-M. Bard, S. Delattre-Lestavel, V. Clavey, P. Pont, B. Derudas, H.-J. Parra and J.-C. Fruchart (France) 124

Peroxidation and phospholipase A_2 hydrolytic susceptibility of liposomes consisting of mixed species of phosphatidylcholine and phosphatidylethanolamine
M.G. Salgo, F.P. Corongiu and A. Sevanian (USA, Italy) 131

Tea catechins decrease micellar solubility and intestinal absorption of cholesterol in rats
I. Ikeda, Y. Imasato, E. Sasaki, M. Nakayama, H. Nagao, T. Takeo, F. Yayabe and M. Sugano (Japan) 141

Lower levels of lipid peroxidation in human platelets incubated with eicosapentaenoic acid
C. Calzada, E. Véricel and M. Lagarde (France) 147

Glycosylation of lipoprotein lipase in human subcutaneous and omental adipose tissues
K. Sakayama, H. Masuno, H. Okumura, T. Shibata and H. Okuda (Japan) 153

Observation of the inverted hexagonal phase of lipids by scanning tunneling microscopy
K. Zeng and K.C. Lin (China) 157

Glucocorticoids inhibit TNFα-induced cytosolic phospholipase A_2 activity
M. Goppelt-Struebe and W. Rehfeldt (Germany) 163

Fibric acid derivatives: effects on the synthesis of isoprenoid lipids in cultured human lymphocytes
A. Henry, C.M. Allen and P.W. Stacpoole (USA) 168

The visceral yolk sac – an important site of synthesis and secretion of apolipoprotein B containing lipoproteins in the feto-placental unit of the rat
D. Plonné, L. Winkler, H. Franke and R. Dargel (Germany) 174

Calorimetric studies of lipid tubule formation from ethanol/water solutions
A.S. Rudolph, M. Ayers Testoff and R. Shashidar (USA) 186

Use of specific polyclonal antibodies to detect heterogeneous lipases from *Geotrichum candidum*
E. Charton, C. Davies and A.R. Macrae (UK) 191

cDNA sequence and alternative mRNA splicing of surfactant-associated protein C (SP-C) in rabbit lung
I. Connelly and F. Possmayer (Canada) 199

Reversibility of the activation of soluble phospholipase A_2 on lipid bilayers: Implications for the activation mechanism
J.D. Bell, S.D. Brown and B.L. Baker (USA) 208

Characteristics and regulation of ganglioside-induced elevation of free cytoplasmic Ca^{2+} in human blood platelets
V.V. Vasylevskaya, V.N. Bochkov, N.V. Prokazova and V.A. Tkachuk (Russia) 221

Purification and characterization of a high-affinity binding protein for pancreatic-type phospholipase A_2
K. Hanasaki and H. Arita (Japan) 233

Phospholipase D activity in nontransformed and transformed fibroblasts
C. Huang and M.C. Cabot (USA) 242

Amphipathic poly(ethylene glycol) 5000-stabilized dioleoylphosphatidylethanolamine liposomes accumulate in spleen
D.C. Litzinger and L. Huang (USA) 249

Cholesteryl ester transfer protein promotes the association of HDL apolipoproteins A-I and A-II with LDL: potentiation by oleic acid
L. Lagrost and P.J. Barter (France, Australia) 255

Gestational hyperlipidemia in the rat is characterized by accumulation of $n-6$ and $n-3$ fatty acids, especially docosahexaenoic acid
Z.-Y. Chen, J. Yang and S.C. Cunnane (Canada) 263

Limitations of phosphatidylcholine/deoxycholate mixtures for the analysis of phospholipase A_2 inhibition and activation: Illustration with annexins
F.F. Davidson and E.A. Dennis (USA) 270

Antioxidant role of cellular reduced coenzyme Q homologs and α-tocopherol in free radical-induced injury of hepatocytes isolated from rats fed diets with different vitamin E contents
T. Matsura, K. Yamada and T. Kawasaki (Japan) 277

Albumin and fatty acid effects on the stimulated production of 1-*O*-hexadecyl-2-acetyl-*sn*-glycero-3-phosphocholine (PAF) by human polymorphonuclear leukocytes
P. Wheelan and K.L. Clay (USA) 284

Binary phase behavior of angiotoxic oxidized cholesterols with cholesterol
D.L. Dorset (USA) 293

Stimulation of the activity and mRNA level of hepatic triacylglycerol lipase by triiodothyronine in HepG2 cells
S. Nozaki, I. Shimomura, T. Funahashi, M. Menju, M. Kubo and Y. Matsuzawa (Japan) 298

Type C Niemann-Pick Disease: A murine model of the lysosomal cholesterol lipidosis accumulates sphingosine and sphinganine in liver
E. Goldin, C.F. Roff, S.P.F. Miller, C. Rodriguez-Lafrasse, M.T. Vanier, R.O. Brady and P.G. Pentchev (USA, France) 303

Regular Papers

Detection and time-course analysis of phospholipid hydroperoxide in soybean seedlings after treatment with fungal elicitor, by chemiluminescence-HPLC assay
Y. Kondo, T. Miyazawa and J. Mizutani (Japan) 227

Cumulative Contents, Vol. 1127 313

Author Index 315